

1. **Body composition is associated with changes in health-related quality of life in patients with knee and/or hip osteoarthritis.**
Rat AC, Sellam J, Mazières B, Ngueyon Sime W, Fardellone P, Guillemin F
RMD open (accepted)
2. **The Association between Oxytocin and Lower Limb Osteoarthritis: A Prospective Cohort Study.**
Roux CH, Rousseau AS, Iannelli A, Gautier N, Ferrero S, Hinault C, Chinetti G, Ngueyon-Sime W, Guillemin F, Amri EZ
.Int J Mol Sci. 2023 Jun 5;24(11):9750.
3. **Do corticosteroids injections increase the risk of knee osteoarthritis progression over 5 years?**
Latourte A, Rat AC, Omorou A, Ngueyon Sime W, Eymard F, Sellam J, Roux C, Ea HK, Cohen-Solal M, Bardin T, Beaudreuil J, Guillemin F, Richette P.
Arthritis Rheumatol 2022 Mar 14. doi: 10.1002/art.42118
4. **Characteristics of patients with knee and/or hip osteoarthritis undergoing spa treatment: the prospective KHOALA cohort study**
Zbitou A, Rat AC, Ngueyon Sime W, Chary-Valckenaere I, Guillemin F.
International Journal of Biometeorology. 2022 Mar;66(3):573-590.
5. **Association of Baseline Cardiovascular Diseases with 5-Year Knee and Hip Osteoarthritis Progression in Non-Obese Patients: Data from the KHOALA Cohort**
Roubille C, Coste J, Sellam J, Rat AC, Guillemin F, Roux C.
J Clin Med. 2021 Jul 29;10(15):3353.
6. **Histoire naturelle de l'arthrose des membres inférieurs. Que nous a appris la cohorte KHOALA ?**
Natural history of osteoarthritis of the lower limbs. What has the KHOALA cohort taught us?
Rat AC, Wiecezorek M, Guillemin F, et au nom du comité scientifique
Revue du rhumatisme Monographies Volume 88, Issue 2, April 2021, Pages 97-103
7. **Impact of smoking on femorotibial and hip osteoarthritis progression: 3-year follow-up data from the KHOALA cohort.**
Roux CH, Coste J, Roger C, Fontas E, Rat AC, Guillemin F.
Joint Bone Spine. 2021 Mar;88(2):105077.
8. **Pain in women with knee and/or hip osteoarthritis is related to systemic inflammation and to adipose tissue dysfunction: Cross-sectional results of the KHOALA cohort.**
Sellam J, Rat AC, Fellahi S, Bastard JP, Ngueyon Sime W, Ea HK, Chevalier X, Richette P, Capeau J, Guillemin F, Berenbaum F.
Semin Arthritis Rheum. 2020 Dec 18;51(1):129-136
9. **Chondrocalcinosis of the Knee and the Risk of Osteoarthritis Progression: Data from the Knee and Hip Osteoarthritis Long-term Assessment Cohort.**
Latourte A, Rat AC, Ngueyon Sime W, Ea HK, Bardin T, Mazières B, Roux C, Guillemin F, Richette P.
Arthritis Rheumatol. 2020 May;72(5):726-732.

10. **Trajectory analysis combining pain and physical function in individuals with knee and hip osteoarthritis: results from the French KHOALA cohort.**
 Wieczorek M, Rotonda C, Coste J, Pouchot J, Saraux A, Guillemin F, Rat AC.
Rheumatology (Oxford). 2020 Nov 1;59(11):3488-3498.
11. **Five-year evolution patterns of physical activity and sedentary behavior in patients with lower-limb osteoarthritis and their sociodemographic and clinical correlates.**
 Bitar S, Omorou AY, Van Hoyer A, Guillemin F, Rat AC
J Rheumatol 2020 Dec 1;47(12):1807-1814.
12. **The burden of osteoarthritis: self-reported severity in the KHOALA population-based cohort.**
 Cross M, Ngueyon Sime W, March L, Guillemin F
Rheumatology (Oxford). 2020 Sep 1;59(9):2368-2373
13. **Comparison of a video versus paper questionnaire on functional limitation in lower limb osteoarthritis.**
 Dubouis L, Ngueyon-Sime W, Peter W, Vallata A, Epstein J, Rat AC, Agrinier N, Terwee CB, Guillemin F.
BMC Musculoskelet Disord. 2019 Nov 3;20(1):507.
14. **Impact of comorbidities and functional impairment on 5-year loss of health utility in patients with lower-limb osteoarthritis in the KHOALA cohort.**
 Omorou AY, Achit H, Wiecek M, Pouchot J, Fautrel B, Rat AC, Guillemin F.
Qual Life Res. 2019 Nov;28(11):3047-3054
15. **Health resource use and costs of symptomatic knee and/or hip osteoarthritis**
 J H Salmon, A C Rat, H Achit, W Ngueyon-Sime, C Gard, F Guillemin, D Jolly, B Fautrel B.
Osteoarthritis Cartilage. 2019 Jul;27(7):1011-1017.
16. **Can the e-OAKHQOL be an alternative to measure health-related quality of life in knee osteoarthritis.**
 Wiecek M, Rotonda C, Epstein J, Guillemin F, Rat AC
Qual Life Res. 2018 Oct;27(10):2731-2743
17. **Prevalence of pelvic Paget's disease of bone in France.**
 Mazières B, Coste J, Euller-Ziegler L, Fardellone P, Fautrel B, Pouchot J, Rat AC, Roux CH, Saraux A, Verrouil E, Guillemin F.
Bone. 2018 Feb;107:143-144
18. **Body composition and clinical symptoms in patients with hip or knee osteoarthritis: Results from the KHOALA cohort.**
 Jeanmaire C, Mazières B, Verrouil E, Bernard L, Guillemin F, Rat AC.
Semin Arthritis Rheum. 2018 Jun;47(6):797-804.
19. **The presence of cardiovascular disease does not modify the weak impact obesity has on health-related quality of life in patients with hip osteoarthritis in the KHOALA cohort.**
 Renaudin L, Guillemin F, Pouchot J, Rat AC.
Joint Bone Spine. 2018 Mar;85(2):233-238.

20. **Cross-Cultural and Construct Validity of the Animated Activity Questionnaire**
Peter WF, de Vet HCW, Boers M, Harlaar J, Roorda LD, Poolman RW, Scholtes VAB, Steultjens M, Hendry GJ, Roos EM, Guillemin F, Benedetti MG, Cavazzuti L, Escobar A, Dagfinrud H, Terwee CB.
Arthritis Care Res (Hoboken). 2017 Sep;69(9):1349-1359.
21. **Corrigendum to "The Mini-OAKHQOL for knee and hip osteoarthritis quality of life was obtained following recent shortening guidelines"**
Guillemin F, Rat AC, Goetz C, Spitz E, Pouchot J, Coste J.
J Clin Epidemiol. 2017 Sep;89:240-241.
22. **Association between hip morphology and prevalence, clinical severity and progression of hip osteoarthritis over 3 years: The knee and hip osteoarthritis long-term assessment cohort results.**
Bouyer B, Mazieres B, Guillemin F, Bouttier R, Fautrel B, Morvan J, Pouchot J, Rat AC, Roux CH, Verrouil E, Saraux A, Coste J; KHOALA cohort study group.
Joint Bone Spine. 2016 Jul;83(4):432-8
23. **Femoro-tibial knee osteoarthritis: One or two X-rays? Results from a population-based study**
Roux CH, Mazieres B, Verrouil E, Rat AC, Fardellone P, Fautrel B, Pouchot J, Saraux A, Guillemin F, Euller-Ziegler L, Coste J.
Joint Bone Spine. 2016 Jan;83(1):37-42.
24. **The Mini-OAKHQOL for knee and hip osteoarthritis quality of life was obtained following recent shortening guidelines**
Guillemin F, Rat AC, Goetz C, Spitz E, Pouchot J, Coste J.
J Clin Epidemiol. 2016 Jan;69:70-8
25. **Development and preliminary testing of a computerized animated activity questionnaire in patients with hip and knee osteoarthritis.**
Peter WF, Loos M, de Vet HC, Boers M, Harlaar J, Roorda LD, Poolman RW, Scholtes VA, Boogaard J, Buitelaar H, Steultjens M, Roos EM, Guillemin F, Rat AC, Benedetti MG, Escobar A, Østerås N, Terwee CB.
Arthritis Care Res (Hoboken). 2015 Jan;67(1):32-9
26. **Moderators, mediators, and bidirectional relationships in the International Classification of Functioning, Disability and Health (ICF) framework: An empirical investigation using a longitudinal design and Structural Equation Modeling (SEM)**
Rouquette A, Badley EM, Falissard B, Dub T, Leplege A, Coste J.
Soc Sci Med. 2015 Jun;135:133-42
27. **The global burden of hip and knee osteoarthritis: estimates from the global burden of disease 2010 study.**
Cross M, Smith E, Hoy D, Nolte S, Ackerman I, Fransen M, Bridgett L, Williams S, Guillemin F, Hill CL, Laslett LL, Jones G, Cicuttini F, Osborne R, Vos T, Buchbinder R, Woolf A, March L.
Arthritis Care Res. 2014 Jul;73(7):1323-30
28. **Reproducibility of radiographic hip measurements in adults.**

Bouttier R, Morvan J, Mazieres B, Rat AC, Ziegler LE, Fardellone P, Fautrel B, Guillemin F, Pouchot J, Roux C, Coste J, Saraux A. **Joint Bone Spine. 2013 Jan**
Joint Bone Spine. 2013 Jan;80(1):52-6.

29. Relationship between hip dysplasia, pain, and osteoarthritis in a cohort of patients with hip symptoms.

Morvan J, Bouttier R, Mazieres B, Verrouil E, Pouchot J, Rat AC, Guellec D, Guillemin F, Coste J, Saraux A; KHOALA Cohort Study Group.
J Rheumatol. 2013 Sep;40(9):1583-9.

30. Item reduction based on rigorous methodological guidelines is necessary to maintain validity when shortening composite measurement scales.

Goetz C, Coste J, Lemetayer F, Rat AC, Montel S, Recchia S, Debouverie M, Pouchot J, Spitz E, Guillemin F.
J Clin Epidemiol. 2013 Jul;66(7):710-8.

31. Measurement of matrilin-3 levels in human serum and synovial fluid using a competitive enzyme-linked immunosorbent assay.

Vincourt JB, Gillet P, Rat AC, Guillemin F, Netter P, Mainard D, Magdalou J.
Osteoarthritis Cartilage. 2012 Jul;20(7):783-6.

32. Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010

Lancet. 2012 Dec 15;380(9859):2197-223.

33. Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010.

Lancet. 2012 Dec 15;380(9859):2163-96

34. The KHOALA cohort of knee and hip osteoarthritis in France.

Guillemin F, Rat AC, Roux CH, Fautrel B, Mazieres B, Chevalier X, Euller-Ziegler L, Fardellone P, Verrouil E, Morvan J, Pouchot J, Coste J, Saraux A; KHOALA cohort study.
Joint Bone Spine. 2012 Dec;79(6):597-603

35. Impact of co-morbidities on measuring indirect utility by the Medical Outcomes Study Short Form 6D in lower-limb osteoarthritis.

Hosseini K, Gaujoux-Viala C, Coste J, Pouchot J, Fautrel B, Rat AC, Guillemin F.
Best Pract Res Clin Rheumatol. 2012 Oct;26(5):627-35

36. Prevalence of symptomatic hip and knee osteoarthritis: a two-phase population-based survey.

Guillemin F, Rat AC, Mazieres B, Pouchot J, Fautrel B, Euller-Ziegler L, Fardellone P, Morvan J, Roux CH, Verrouil E, Saraux A, Coste J; 3000 Osteoarthritis group.
Osteoarthritis Cartilage. 2011 Nov;19(11):1314-22

37. Screening for hip and knee osteoarthritis in the general population: predictive value of a questionnaire and prevalence estimates.

Roux CH, Saraux A, Mazieres B, Pouchot J, Morvan J, Fautrel B, Testa J, Fardellone P, Rat AC, Coste J, Guillemin F, Euller-Ziegler L; KHOALA Osteoarthritis Group.

Ann Rheum Dis. 2008 Oct;67(10):1406-11